	Hits	Search Text	DBs
1	1908	<pre>(sql with quer\$4 near7 (statement\$1 or instruction\$1))</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1427	l2 and @ad < "20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	l3 and (report\$5 near8 pattern\$5 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	l3 and (report\$5 with pattern\$5 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	252	l3 and report\$5 and pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	252	l6 and data\$1base\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	95	17 and meta\$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	24	l8 and drill\$1down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	24	19 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	24	l10 and parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	24	l11 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	12	l12 and (link\$4 with (instruction\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	report\$1 with (pattern adj	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	58	report\$1 with (pattern with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	45	l15 and @ad < "20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	l16 and meta\$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	l17 and drill\$1down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB